

## FLUIDOS REFRIGERANTES TABELA PRESSÃO X TEMPERATURA

TEMPERATURA	PRESSÃO						
	PRO-134	R600a	PRO-410	R290a	PRO-22	PRO-404	PRO-32
	psig	psig	psig	psig	psig	psig	psig
-44	0.8	3	0.9	1	1.1	1.1	1.9
-40	1.2	4.6	1.3	1.4	1.5	1.6	2.5
-36	3.2	5.0	3.2	3.4	3.5	3.8	6.5
-32	7.5	6.2	7.8	8.1	8.3	9.1	12.3
-28	10.0	7.4	10.5	10.7	10.9	11.5	15.2
-24	16.0	8.9	16.4	16.7	17.0	17.6	23.0
-20	19.0	10.5	19.7	20.1	20.5	21.3	27.4
-16	26.5	12.4	27.1	27.6	28.2	29.2	36.3
-12	30.5	14.5	31.3	31.8	32.5	33.9	41.1
-8	35.0	16.7	35.7	36.3	37.0	37.1	47.2
-4	44.8	18.3	45.6	46.3	47.2	48.5	60.7
0	53.5	21.7	54.8	55.7	56.8	56.3	69.8
4	61.5	26.9	62.8	63.9	65.2	65.6	79.8
8	67.0	29.5	68.4	69.5	70.1	71.5	86.4
12	73.3	34.6	74.4	75.6	77.1	76.1	94.0
16	86.6	38.2	87.8	89.2	90.1	92.1	112.0
20	105.2	43.2	106.5	108.2	110.3	110.7	122.7
24	116.0	49.3	116.5	118.3	120.6	120.2	145.0
28	136.7	55.7	137.6	139.7	142.5	141.3	172.0
36	158.0	69.9	159.4	161.9	165.2	163.8	196.0
40	182.9	77.1	183.3	186.1	190.0	189.2	227.5
44	209.1	85.4	210.2	213.4	217.7	215.8	260.0
48	223.0	94.9	224.5	227.9	232.5	229.6	277.0
52	238.5	105.8	239.0	242.8	247.7	244.1	292.1
56	270.2	114.4	271.0	275.8	281.3	277.3	330.5
60	286.3	127.0	287.8	292.2	298.0	294.4	355.0
64	329.9	139.5	323.9	328.9	336.5	330.8	399.5
68	342.0	151.8	343.1	348.4	355.4	350.3	422.0
72	361.2	168.9	363.0	368.7	376.0	370.5	445.0

### TABELA DE COMPATIBILIDADE DE LUBRIFICANTES

	ÓLEO MINERAL	ALQUIBENZENO	POLIOLÉSTER	POLIALQUILGLICOL
<b>PRO-22</b>	SIM	SIM	SIM	NÃO
<b>PRO-410</b>	SIM	SIM	SIM	NÃO
<b>PRO-134</b>	SIM	SIM	SIM	NÃO
<b>PRO-404</b>	SIM	SIM	SIM	NÃO
<b>PRO-32</b>	SIM	SIM	SIM	NÃO